

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/766,870	01/30/2004	Yoko Hirosugi	00862.023427.	4094	
5514 7:	590 12/15/2005		EXAM	EXAMINER	
FITZPATRICK CELLA HARPER & SCINTO			UHLENHAK	UHLENHAKE, JASON S	
	30 ROCKEFELLER PLAZA NEW YORK, NY 10112		ART UNIT	PAPER NUMBER	
NEW TORK,	141 14112		2853		
			DATE MAILED: 12/15/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

			TU		
	Application No.	Applicant(s)			
	10/766,870	HIROSUGI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Jason Uhlenhake	2853			
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with th	e correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING C. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	OATE OF THIS COMMUNICATI 136(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS fre, cause the application to become ABANDO	ON. e timely filed from the mailing date of this communicated (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	<u>_</u> .				
,_	s action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.			
Disposition of Claims					
4) Claim(s) 1-25 is/are pending in the application	٦.				
4a) Of the above claim(s) is/are withdra	awn from consideration.				
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-25</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/	or election requirement.				
Application Papers					
9) The specification is objected to by the Examin	er.				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the	e drawing(s) be held in abeyance.	See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correct					
11) The oath or declaration is objected to by the E	xaminer. Note the attached Offi	ice Action or form PTO-152	2.		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:		(a)-(d) or (f).			
1. Certified copies of the priority documen		ation No			
2. Certified copies of the priority document					
 Copies of the certified copies of the price application from the International Burea 	•				
* See the attached detailed Office action for a lis	· · · · · · · · · · · · · · · · · · ·	ived.			
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview Summ Paper No(s)/Mai				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 3/22/2004. 	_	al Patent Application (PTO-152)			

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1-4, 6-11, 13-18, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Otokita (U.S. Pub. 2003/0016259).

Otokita discloses the following:

- regarding claim 1, an image forming apparatus for receiving data from a host device (1) and forming an image (Figure 1), comprising:
 - a storage unit for storing a set value (Paragraph 0011)
- transmitting unit for transmitting the set value, which has been stored in said storage unit, in response to a request from the host device and is transferred to the printer (Paragraphs 0060 0061)
- an updating unit for updating the set value, which has been stored in said storage unit, based upon print data received from the host device (Paragraphs 0069 0070)
- **regarding claim 2,** an image forming apparatus for receiving data from a host device (1) and forming an image (Figure 1), comprising:
 - a storage unit for storing a set value (Paragraph 0011)

Art Unit: 2853

- notifying unit for deciding a set value of the image forming apparatus in response to an image formation request from the host device, comparing the set value decided and the set value that has been stored in said storage unit, processing the image formation request if the two set values agree and, if the two set values do not agree, notifying the host device of this fact (Paragraphs 0076 – 0078)

- regarding claim 3, wherein the set value that has been stored in said storage unit includes size or type or both size and type of a sheet-like medium on which an image is formed (Paragraph 0011)
- **regarding claim 4,** wherein set value that has been stored in said storage unit includes a setting of distance between an ink-jet printhead and a sheet (Paragraphs 0012, 0037)
- **regarding claim 6,** an acquisition unit for acquiring a set value from the image forming unit (Paragraph 0011)
- comparison unit for comparing a specified set value (printhead gap value) in image formation and the set value (medium type) that has been acquired by said acquisition unit, transmitting an image formation request to the image forming unit if the two set values agree and, if the two set values do not agree, displaying this fact to the user (Paragraph 0047)
 - regarding claim 7, a storage unit for storing a set value (Paragraph 0011)
- transmitting unit for transmitting the set value, which has been stored in said storage unit, in response to a request from the host device and is transferred to the printer (Paragraphs 0060 0061)

Art Unit: 2853

- an updating unit for updating the set value, which has been stored in said storage unit, based upon print data received from information processing apparatus (Paragraphs 0069 – 0070)

- information processing apparatus comprises: an acquisition unit for acquiring a set value from said image forming apparatus (Paragraph 0011)
- comparison unit for comparing a specified set value (printhead gap value) in image formation and the set value (medium type) that has been acquired by said acquisition unit, transmitting an image formation request to the image forming unit if the two set values agree and, if the two set values do not agree, displaying this fact by a display (Paragraph 0047)
- **regarding claim 8,** information processing apparatus, which is connected to said image forming apparatus, for receiving notification from said image forming apparatus and displaying it on a display (Paragraph 0048, Claim # 29)
- **regarding claim 9,** image forming system in which a latest set value that has been stored in a printer is acquired and, if the set value differs from a set value that has been specified, this fact is reported (Paragraphs 0076 0078)
- **regarding claim 10,** method of controlling an image forming apparatus that receives data from a host device and forms an image comprising: a storage unit for storing a set value (Paragraph 0011)
- transmitting unit for transmitting the set value, which has been stored in said storage unit, in response to a request from the host device and is transferred to the printer (Paragraphs 0060 0061)

Art Unit: 2853

- an updating unit for updating the set value, which has been stored in said storage unit, based upon print data received from the host device (Paragraphs 0069 – 0070)

- regarding claim 11, method of controlling an image forming apparatus
 that receives data from a host device and forms an image comprising: a storage unit for storing a set value (Paragraph 0011)
- notifying unit for deciding a set value of the image forming apparatus in response to an image formation request from the host device, comparing the set value decided and the set value that has been stored in said storage unit, processing the image formation request if the two set values agree and, if the two set values do not agree, notifying the host device of this fact (Paragraphs 0076 0078)
- **regarding claim 13,** information processing method for forming an image by an image forming unit, comprising: , an acquisition unit for acquiring a set value from the image forming unit (Paragraph 0011)
- comparison unit for comparing a specified set value (printhead gap value) in image formation and the set value (medium type) that has been acquired by said acquisition unit, transmitting an image formation request to the image forming unit if the two set values agree and, if the two set values do not agree, displaying this fact to the user (Paragraph 0047)
- regarding claim 14, method of controlling a printer in which a latest set value that has been stored in a printer is acquired and, if the set value differs from a set value that has been specified, this fact is reported (0076 0078)

Art Unit: 2853

- **regarding claim 15**, computer program product storing a program for controlling an image forming apparatus that forms and image (Paragraph 0051), comprising:

- code of a storage step of storing a set value of the apparatus in storage means (Paragraph 0011)
- code of a transmitting unit for transmitting the set value, which has been stored in said storage unit, in response to a request from the host device and is transferred to the printer (Paragraphs 0060 0061)
- code of an updating unit for updating the set value, which has been stored in said storage unit, based upon print data received from information processing apparatus (Paragraphs 0069 0070)
- **regarding claim 16,** computer program product storing a program for controlling an image forming apparatus that forms and image (Paragraph 0051), comprising:
- code of a storage step of storing a set value of the apparatus in storage means (Paragraph 0011)
- code of a step of deciding a set value of the image forming apparatus in response to an image formation request from the host device, comparing the set value decided and the set value that has been stored in said storage unit, processing the image formation request if the two set values agree and, if the two set values do not agree, notifying the host device of this fact (Paragraphs 0076 0078)

Page 7

Application/Control Number: 10/766,870

Art Unit: 2853

- **regarding claim 17,** printing system for transmitting print settings, which have been set by a printer driver, to a printer, said printer performing printing in accordance with these settings (Paragraph 0054)

- said printer driver includes an acquisition unit for acquiring print settings that have been stored by the printer (Paragraph 0011)
- printer includes: storage unit for storing print settings according to which printing was performed last (Paragraph 0011)
- transmitting unit for transmitting the set value, which has been stored in said storage unit, in response to a request from the printer driver and is transferred to the printer (Paragraphs 0060 0061)
- **regarding claim 18,** an input/output system comprising a host computer and an input/output device connected to said host computer by an interface that is capable of bidirectional communication (Paragraphs 0039, 0055 0056), wherein:
- paper-thickness adjusting unit for dealing with thickness of paper
 (Paragraphs 0013, 0037)
- calculating unit for calculating an appropriate paper thickness
 adjustment position form information that has been transmitted from said host computer
 (Paragraphs 0037, 0039; Figure 5: 139, 145)
- storage unit for storing paper thickness adjustment position that has been calculated (Paragraph 0037)

Art Unit: 2853

host computer includes: a receiving unit for receiving information
 indicating paper – thickness adjustment position form said input/output unit (Paragraph 0037)

- determination unit for determining whether the information indicating paper

 thickness adjustment position is appropriate for an input/output operation sought by
 an operator (Paragraph 0047)
- regarding claim 21, printer capable of utilizing a plurality of types of printing media (Paragraphs 0071 0072)
- storage unit for storing a type of printing medium on which printing has been performed (Paragraph 0011)
- means for responding to an inquiry from a host with the type of printing medium that has been stored in said storage unit (Paragraph 0028 0029)
- host device including: an acquisition unit for inquiring about and acquiring, from said printer, a type of printing medium that was printed on last (Paragraph 0046 0047)
- display unit for displaying a confirmation message to a user if the type of printing medium acquired by said acquisition unit and a type of printing medium set by the user do not agree (Paragraph 0047)

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2853

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 5 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Otokita (U.S. Pub 2003/0016259) in view of Aritomi (U.S. Pub. 2002/0180822).

Otokita discloses:

- **regarding claim 5,** a panel for displaying messages and specifying inputs (Paragraph 0048)

Otokita does not disclose expressly the following:

- **regarding claim 5,** a determination unit for determining whether data received from the host device includes a confirmation command; confirmation command is determined once test printing to the plain paper ends
- confirmation unit for displaying a message on said panel and prompting an input in response to this message if said determination unit has determined that the data includes a confirmation command
- wherein an image is formed based upon the data if an input in response to the message is made by confirmation unit
- regarding claim 12, a determination unit for determining whether data received from the host device includes a confirmation command; confirmation command is determined once test printing to the plain paper ends
- confirmation unit for displaying a message on said panel and prompting an input in response to this message if said determination unit has determined that the data includes a confirmation command

Art Unit: 2853

- wherein an image is formed based upon the data if an input in response to the message is made by confirmation unit

Aritomi discloses the following:

- **regarding claim 5,** a determination unit for determining whether data received from the host device includes a confirmation command; confirmation command is determined once test printing to the plain paper ends (Paragraph 0077). For the purpose of displaying to the user a confirmation command.
- confirmation unit for displaying a message on said panel and prompting an input in response to this message if said determination unit has determined that the data includes a confirmation command (Paragraph 0077). For the purpose of allowing the user to control operation of the image forming apparatus.
- wherein an image is formed based upon the data if an input in response to the message is made by confirmation unit (Paragraph 0077). For the purpose of performing print output to a print medium on the basis of print data being transmitted.
- regarding claim 12, a determination unit for determining whether data received from the host device includes a confirmation command; confirmation command is determined once test printing to the plain paper ends (Paragraph 0077). For the purpose of displaying to the user a confirmation command.
- confirmation unit for displaying a message on said panel and prompting an input in response to this message if said determination unit has determined that the data includes a confirmation command (Paragraph 0077). For the purpose of allowing the user to control operation of the image forming apparatus.

Art Unit: 2853

- wherein an image is formed based upon the data if an input in response to the message is made by confirmation unit (Paragraph 0077). For the purpose of performing print output to a print medium on the basis of print data being transmitted.

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to incorporate the teaching of a panel for displaying messages and specifying inputs; a determination unit for determining whether data received from the host device includes a confirmation command; confirmation command is determined once test printing to the plain paper ends; confirmation unit for displaying a message on said panel and prompting an input in response to this message if said determination unit has determined that the data includes a confirmation command; wherein an image is formed based upon the data if an input in response to the message is made by confirmation unit as taught by Aritomi into the device of Otokita. The motivations would have been to display to the user a confirmation command; allow the user to control operation of the image forming apparatus; perform print output to a print medium on the basis of print data being transmitted.

Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Otokita (U.S. Pub. 2003/0016259) in view of Naka et al (U.S. Pub. 2002/0135624).

Otokita discloses:

regarding claim 19, a set value is stored in a storage unit (Paragraph
 0011)

Otokita does not disclose expressly the following:

Art Unit: 2853

- **regarding claim 19,** storing an identifier for identifying a user

- **regarding claim 20,** wherein the identifier is one assigned to a control program in the host device.

Naka et al discloses:

- **regarding claim 19,** storing an identifier for identifying a user (Paragraph 0175). For the purpose of identifying authorized users of the image forming apparatus.

- **regarding claim 20,** wherein the identifier is one assigned to a control a program in the host device (Paragraphs 0175 - 0177). For the purpose of controlling the image forming apparatus in accordance with input from an authorized identifier.

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to incorporate the teaching of storing an identifier for identifying a user; wherein the identifier is one assigned to a control program in the host device as taught by Naka et al into the device of Otokita. The motivations for doing so would have been to identify authorized users of the image forming apparatus; control the image forming apparatus in accordance with input from an authorized identifier.

Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Otokita (U.S. Pub. 2003/0016259) in view of Hirasawa (U.S. Pub. 2002/0089531).

Otokita discloses:

- regarding claims 22 and 23, determine if the type of printing medium acquired by acquisition unit and the type of printing medium set by the user do not agree (Paragraph 0076)

Art Unit: 2853

Otokita does not disclose expressly:

- **regarding claim 22,** host device sends printer a confirmation command, which is for placing said printer in a standby state

- printer includes a confirmation input unit
- printing is resumed in case where confirmation has been input by said confirmation input unit
- regarding claim 23, wherein host device allows the user to select whether or not to place printer in the standby state.

Hirasawa discloses:

- **regarding claim 22,**, host device sends printer a confirmation command, which is for placing said printer in a standby state (Paragraph 0159)
 - printer includes a confirmation input unit (Paragraph 0159)
- printing is resumed in case where confirmation has been input by said confirmation input unit (Paragraph 0159). For the purpose of allowing the user to control operation of the image forming apparatus.
- regarding claim 23, wherein host device allows the user to select whether or not to place printer in the standby state (Paragraph 0159). For the purpose of allowing the user to control operation of the image forming apparatus.

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to incorporate the teaching of host device sends printer a confirmation command, which is for placing said printer in a standby state; printer includes a confirmation input unit; printing is resumed in case where confirmation has

Art Unit: 2853

been input by said confirmation input unit; host device allows the user to select whether or not to place printer in the standby state as taught by Hirasawa into the device of Otokita. The motivation for doing so would have been to allow the user to control operation of the image forming apparatus.

Claims 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Otokita (U.S. Pub. 2003/0016259) in view of Yogome et al (U.S. Pub. 2002/0176719).

Otokita discloses:

- regarding claim 24, type of medium on which printing was performed last is acquired from a printer, and determines if formation of an image on a medium of a type different from the type of the first mentioned medium has been specified (Paragraph 0076)
- regarding claim 25, code for acquiring a type of medium on which printing was performed last, the type of medium having been stored in a memory of a printer (Paragraph 0011)
- code to compare type of medium on which printing was performed last and type of medium, for which image formation has been specified, stored in a memory of a computer, and determine if the two types of media do not agree (Paragraph 0076)

Otokita does not disclose expressly:

- regarding claim 24 and 25, outputting these facts to the user Yogome et al discloses:

Art Unit: 2853

- **regarding claim 24 and 25,** outputting display messages for a medium type to be printed (Paragraph 0112). For the purpose of displaying information about the image forming apparatus.

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to incorporate the teaching of outputting various facts to the user as taught by Yogome et al into the device of Otokita. The motivation for doing so would have been to display information about the image forming apparatus.

Art Unit: 2853

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Uhlenhake whose telephone number is (571) 272-5916. The examiner can normally be reached on Monday - Friday 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 15, 2005